

Recorded response time for 251 terminals  
Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second) 1/50 second average response all terminals 1/2 second average worst case response all terminals 6 seconds worst case response any terminal
--

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
0C5	1969.727	56	1.022	0.373	0	0.018
0C6	2160.900	70	0.844	0.044	0	0.012
0C8	1969.537	56	0.744	0.098	0	0.013
0C9	2082.243	70	1.334	0.467	0	0.019
0CA	1908.919	56	0.635	0.035	0	0.011
0CB	2096.971	70	3.138	2.256	0	0.045
0CC	2123.928	70	0.784	0.061	0	0.011
0CD	2120.019	70	0.867	0.094	0	0.012
0CE	2225.544	70	1.017	0.137	0	0.015
1C0	2032.095	70	0.810	0.046	0	0.012
1C1	2103.410	70	1.294	0.398	0	0.018
1C2	2078.350	70	0.942	0.058	0	0.013
1C3	1967.041	70	0.814	0.045	0	0.012
1C4	2123.400	70	0.805	0.037	0	0.012
1C5	2001.896	56	0.834	0.193	0	0.015
1C6	1909.642	70	0.779	0.035	0	0.011
1C8	2184.534	70	1.255	0.481	0	0.018
1C9	2251.654	70	0.919	0.101	0	0.013
1CA	2314.820	70	0.814	0.067	0	0.012
1CB	2000.127	70	0.883	0.137	0	0.013
1CC	1954.678	56	0.656	0.040	0	0.012
1CD	2014.970	70	0.874	0.049	0	0.012
1CE	1997.547	70	0.832	0.071	0	0.012
2C0	1861.630	56	0.676	0.044	0	0.012
2C1	1985.032	70	0.899	0.064	0	0.013
2C2	1969.356	56	1.075	0.401	0	0.019
2C3	2182.136	70	0.953	0.175	0	0.014

Recorded response time for 251 terminals  
Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)
1/50 second average response all terminals
1/2 second average worst case response all terminals
6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
2C4	2227.880	70	0.847	0.087	0	0.012
2C5	2134.645	70	1.072	0.301	0	0.015
2C6	2097.002	70	1.201	0.389	0	0.017
2C8	2207.202	70	2.367	1.488	0	0.034
2C9	2231.907	70	3.712	2.867	0	0.053
2CA	1940.003	56	0.693	0.065	0	0.012
2CB	1878.793	56	0.683	0.049	0	0.012
2CC	2186.919	70	0.910	0.130	0	0.013
2CD	1996.233	56	0.831	0.099	0	0.015
2CE	1994.840	70	0.809	0.040	0	0.012
3C0	2004.556	70	1.773	0.955	0	0.025
3C1	2183.559	70	1.737	0.887	0	0.025
3C2	2156.582	70	4.905	4.167	0	0.070
3C3	2091.869	70	0.913	0.131	0	0.013
3C4	2232.319	70	0.810	0.034	0	0.012
3C5	2077.986	70	0.916	0.065	0	0.013
3C6	2051.452	70	1.399	0.608	0	0.020
3C8	2050.812	70	1.364	0.356	0	0.019
3C9	1982.879	70	0.899	0.151	0	0.013
3CB	2073.980	70	0.924	0.151	0	0.013
3CC	1891.230	56	0.705	0.055	0	0.013
3CD	1850.996	56	0.722	0.144	0	0.013
3CE	2003.288	56	0.692	0.040	0	0.012
D00	2101.463	70	1.393	0.671	0	0.020
D01	2182.967	70	5.385	4.608	0	0.077
D02	2008.987	56	0.763	0.125	0	0.014
D03	1976.116	56	0.654	0.040	0	0.012

Recorded response time for 251 terminals  
Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)
1/50 second average response all terminals
1/2 second average worst case response all terminals
6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
D04	2084.259	70	2.771	1.880	0	0.040
D05	1829.045	56	0.646	0.038	0	0.012
D06	2103.687	70	0.831	0.051	0	0.012
D09	2335.066	70	0.872	0.052	0	0.012
D0A	2132.579	70	1.582	0.785	0	0.023
D0B	2213.403	70	4.301	3.001	0	0.061
D0C	1852.895	56	0.729	0.071	0	0.013
D0D	1837.890	56	0.601	0.029	0	0.011
D0E	1875.242	56	0.750	0.122	0	0.013
D10	2250.810	70	1.991	1.204	0	0.028
D11	2211.996	70	0.975	0.203	0	0.014
D12	2130.145	84	1.939	0.473	0	0.023
D13	2127.627	70	0.839	0.054	0	0.012
D14	2083.179	70	2.434	1.636	0	0.035
D15	2184.226	70	5.337	4.443	0	0.076
D16	1961.082	70	0.794	0.037	0	0.011
D19	2179.793	70	0.807	0.035	0	0.012
D1A	1949.478	70	0.919	0.137	0	0.013
D1B	1942.056	56	0.709	0.067	0	0.013
D1C	1952.632	56	0.678	0.114	0	0.012
D1D	2165.488	70	4.928	2.894	0	0.070
D1E	1970.176	56	0.651	0.037	0	0.012
D20	2263.511	70	0.813	0.063	0	0.012
D21	2186.553	70	0.828	0.054	0	0.012
D22	1813.526	56	0.635	0.036	0	0.011
D23	2090.417	70	0.741	0.029	0	0.011
D24	1948.489	70	0.755	0.032	0	0.011

Recorded response time for 251 terminals  
Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)  
1/50 second average response all terminals  
1/2 second average worst case response all terminals  
6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
D25	2147.823	70	1.321	0.511	0	0.019
D26	1896.895	56	0.786	0.134	0	0.014
D28	2107.495	70	0.997	0.153	0	0.014
D29	2180.258	70	3.002	2.042	0	0.043
D2A	2121.385	70	4.110	2.904	0	0.059
D2B	1880.045	56	0.640	0.046	0	0.011
D2C	1931.123	56	0.622	0.035	0	0.011
D2D	2130.277	70	0.820	0.074	0	0.012
D2E	1842.070	56	0.637	0.035	0	0.011
D30	2073.304	70	1.668	0.889	0	0.024
D31	2187.746	70	2.390	1.494	0	0.034
D32	1800.791	56	0.670	0.057	0	0.012
D33	2206.371	70	0.991	0.254	0	0.014
D34	2201.616	70	4.569	3.769	0	0.065
D35	1802.001	56	0.676	0.045	0	0.012
D36	1994.126	70	0.858	0.060	0	0.012
D38	1942.862	70	0.822	0.041	0	0.012
D39	2000.335	70	0.964	0.157	0	0.014
D3A	2052.157	70	0.827	0.069	0	0.012
D3B	2008.194	70	0.785	0.034	0	0.011
D3C	1985.237	70	0.920	0.086	0	0.013
D3D	1825.101	56	0.647	0.051	0	0.012
D3E	2306.069	70	0.962	0.134	0	0.014
D40	1986.802	70	0.879	0.053	0	0.013
D41	1935.563	56	0.806	0.163	0	0.014
D42	1807.558	56	0.668	0.040	0	0.012
D44	2302.948	70	2.435	1.687	0	0.035

Recorded response time for 251 terminals  
Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)
1/50 second average response all terminals
1/2 second average worst case response all terminals
6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
D45	2089.612	70	0.758	0.034	0	0.011
D46	1917.422	70	0.864	0.042	0	0.012
D48	2212.619	70	0.797	0.044	0	0.011
D49	1837.418	56	0.677	0.059	0	0.012
D4A	2156.382	70	0.946	0.127	0	0.014
D4B	2138.262	70	0.800	0.044	0	0.011
D4C	2296.642	70	0.988	0.182	0	0.014
D4D	2242.278	70	2.116	1.077	0	0.030
D4E	2098.440	70	0.801	0.032	0	0.011
D50	2249.629	70	0.900	0.083	0	0.013
D51	1820.839	56	0.595	0.031	0	0.011
D52	2261.711	70	0.768	0.032	0	0.011
D53	2092.265	70	0.764	0.031	0	0.011
D54	1865.801	56	1.246	0.664	0	0.022
D55	1841.399	56	0.721	0.059	0	0.013
D56	2052.758	70	1.019	0.129	0	0.015
D58	2051.582	70	0.974	0.089	0	0.014
D59	2200.442	70	0.764	0.035	0	0.011
D5A	2111.280	70	1.208	0.207	0	0.017
D5B	1848.781	56	0.671	0.037	0	0.012
D5C	1873.578	56	0.680	0.078	0	0.012
D5D	2231.458	70	0.837	0.049	0	0.012
D5E	2127.447	70	0.974	0.083	0	0.014
D60	2146.235	70	3.119	1.801	0	0.045
D61	2001.804	56	0.766	0.144	0	0.014
D62	2097.345	70	0.885	0.054	0	0.013
D63	1970.764	56	1.299	0.626	0	0.023

Recorded response time for 251 terminals  
 Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)  
 1/50 second average response all terminals  
 1/2 second average worst case response all terminals  
 6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
D64	2179.421	70	2.933	2.025	0	0.042
D65	2104.535	70	2.661	1.851	0	0.038
D66	2130.814	70	0.819	0.053	0	0.012
D68	2038.368	70	0.991	0.150	0	0.014
D69	2102.148	70	2.718	1.638	0	0.039
D6A	2071.170	70	1.044	0.248	0	0.015
D6B	2359.808	70	0.817	0.044	0	0.012
D6C	2195.042	70	1.382	0.535	0	0.020
D6D	2348.048	70	3.416	2.258	0	0.049
D6E	1859.825	56	0.988	0.228	0	0.018
D70	2213.362	70	0.975	0.187	0	0.014
D71	1826.194	56	0.647	0.039	0	0.012
D72	2241.937	70	2.582	1.862	0	0.037
D73	1962.444	56	0.605	0.032	0	0.011
D74	1972.209	70	0.799	0.044	0	0.011
D75	1809.969	56	0.770	0.125	0	0.014
D76	2054.996	70	0.916	0.145	0	0.013
D78	1994.872	70	0.944	0.069	0	0.013
D79	1870.814	56	0.654	0.041	0	0.012
D7A	2264.804	70	0.828	0.036	0	0.012
D7B	2178.409	70	0.809	0.046	0	0.012
D7C	2292.505	70	2.786	1.942	0	0.040
D7D	2056.397	56	0.762	0.162	0	0.014
D7E	2365.553	70	0.806	0.047	0	0.012
D80	2092.222	70	1.469	0.599	0	0.021
D81	1812.717	56	0.637	0.041	0	0.011
D82	1921.433	56	0.693	0.039	0	0.012

Recorded response time for 251 terminals  
 Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)
1/50 second average response all terminals
1/2 second average worst case response all terminals
6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
D83	1922.023	56	0.672	0.059	0	0.012
D84	1940.700	70	0.812	0.037	0	0.012
D85	1928.440	56	0.640	0.034	0	0.011
D86	1831.825	56	0.913	0.254	0	0.016
D88	2093.076	70	0.843	0.072	0	0.012
D89	2067.723	70	0.779	0.031	0	0.011
D8A	2101.010	70	1.811	1.025	0	0.026
D8B	2140.602	70	0.957	0.210	0	0.014
D8C	1852.306	56	0.643	0.038	0	0.011
D8D	1831.049	70	1.011	0.175	0	0.014
D8E	2253.399	70	2.954	2.103	0	0.042
D90	2082.169	70	2.400	1.431	0	0.034
D91	2107.180	70	1.798	0.938	0	0.026
D92	2102.072	70	3.212	2.348	0	0.046
D93	1851.028	56	0.666	0.036	0	0.012
D94	2232.915	70	0.808	0.060	0	0.012
D95	1981.203	70	0.921	0.103	0	0.013
D96	1810.702	56	0.609	0.035	0	0.011
D98	1859.541	56	0.711	0.041	0	0.013
D99	1836.186	56	0.666	0.036	0	0.012
D9A	2027.764	56	0.657	0.039	0	0.012
D9B	2118.232	70	0.841	0.041	0	0.012
D9C	2070.366	70	1.407	0.600	0	0.020
D9D	2077.296	70	0.952	0.172	0	0.014
D9E	1896.860	56	0.734	0.105	0	0.013
DA0	2057.787	70	0.865	0.046	0	0.012
DA1	2113.315	70	3.798	2.971	0	0.054

Recorded response time for 251 terminals  
 Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)  
 1/50 second average response all terminals  
 1/2 second average worst case response all terminals  
 6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
DA2	2097.963	70	1.691	0.873	0	0.024
DA3	2107.891	70	0.774	0.034	0	0.011
DA4	1848.909	56	0.633	0.040	0	0.011
DA5	2120.495	70	4.321	2.399	0	0.062
DA6	1885.755	56	0.729	0.060	0	0.013
DA8	1947.834	70	0.945	0.129	0	0.014
DA9	1967.421	70	0.786	0.040	0	0.011
DAA	1997.470	70	0.849	0.079	0	0.012
DAC	1815.195	56	0.644	0.046	0	0.012
DAD	1987.003	70	1.989	1.173	0	0.028
DAE	2077.680	70	0.788	0.050	0	0.011
DB0	2028.399	70	0.892	0.078	0	0.013
DB1	2186.936	70	4.701	3.870	0	0.067
DB2	1810.992	56	0.652	0.044	0	0.012
DB3	1985.137	70	1.130	0.286	0	0.016
DB4	2099.575	70	0.842	0.057	0	0.012
DB5	2181.863	70	1.022	0.132	0	0.015
DB6	2071.641	70	2.540	1.758	0	0.036
DB8	2306.938	70	3.148	2.340	0	0.045
DB9	2039.121	70	1.554	0.609	0	0.022
DBB	1862.354	70	0.843	0.053	0	0.012
DBC	1910.704	56	0.678	0.034	0	0.012
DBD	1850.833	56	0.677	0.042	0	0.012
DBE	2099.817	70	6.912	6.098	0	0.099
DC0	2227.993	70	0.978	0.083	0	0.014
DC1	2089.022	70	0.847	0.045	0	0.012
DC2	1846.155	56	0.649	0.035	0	0.012

Recorded response time for 251 terminals  
 Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)
1/50 second average response all terminals
1/2 second average worst case response all terminals
6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
DC3	2076.469	70	0.976	0.131	0	0.014
DC4	2065.308	70	0.950	0.131	0	0.014
DC5	2130.507	70	4.959	4.052	0	0.071
DC6	1904.365	56	1.247	0.628	0	0.022
DC8	2020.586	70	0.987	0.133	0	0.014
DC9	1970.508	70	0.903	0.121	0	0.013
DCA	2247.735	70	5.752	5.000	0	0.082
DCB	1951.899	70	0.804	0.048	0	0.011
DCC	1966.566	70	0.824	0.046	0	0.012
DCD	1844.850	56	1.087	0.419	0	0.019
DCE	1957.236	70	0.955	0.125	0	0.014
DD0	2146.501	70	1.977	1.165	0	0.028
DD1	2166.404	70	5.103	4.223	0	0.073
DD2	1824.034	56	0.714	0.051	0	0.013
DD3	1947.532	70	0.933	0.087	0	0.013
DD4	2052.122	70	0.798	0.036	0	0.011
DD5	1899.906	56	0.744	0.041	0	0.013
DD6	1801.437	56	0.887	0.138	0	0.016
DD8	1944.047	56	0.734	0.057	0	0.013
DD9	2007.788	70	0.761	0.034	0	0.011
DDA	1854.894	56	0.631	0.031	0	0.011
ddb	2118.986	70	3.801	3.012	0	0.054
DDC	2123.581	70	2.208	1.274	0	0.032
DDD	1910.359	56	0.751	0.085	0	0.013
DDE	1835.077	56	0.754	0.057	0	0.013
DE0	1906.111	56	0.615	0.029	0	0.011
DE1	1876.970	56	0.685	0.067	0	0.012

Recorded response time for 251 terminals  
 Running *KICKS* 1.5.0 workload on MVS38J Tur(n)key TK3UPD

16,000 transactions in 1/2 hour (9 per second)  
 1/50 second average response all terminals  
 1/2 second average worst case response all terminals  
 6 seconds worst case response any terminal

Terminal CUU	Elapsed Time  (sec)	Total Trans  (count)	Total Trans Resp (sec)	Worst Case Resp (sec)	Best Case Resp (sec)	Average Response
DE2	2073.083	70	4.331	2.145	0	0.062
DE3	2144.201	70	0.880	0.105	0	0.013